


Strandek <sup>®</sup> installation of a Built GRP S600 Fibreglass Flat Roof on a Domestic Property





## Fibreglass Flat Roof Installation



## **Summary of Work**

A new fibreglass flat roof was installed by Strandek® in South Wales. This was a Built GRP S600 Fibreglass Roofing System, comprised of a single layer laminate and topped off with a grey flowcoat. The underlying structure comprised BBA® certified OSB3 timber decking and BBA® certified PIR insulation. The roofing system has a 30+ year expected lifetime, a 20-year Built GRP materials guarantee, 20-year Strandek® guarantee and a 10-year insurance backed guarantee.

See more: https://www.strandek.co.uk/services/glass-fibre-flat-roofing/

## **Benefits**



#### Rapid Cure

Partial cures achieved within 1 hour



#### Waterproof

Fibreglass offers a long-term, highly durable waterproof coating for flat roofing structures



#### **Professional Installation**

Built GRP Fibreglass Systems require approved installers with an excellent track record.



#### Strong Adhesion

Bonds very strongly to timber decking making it almost impervious to leaks



#### Mechanical Strength

High strength-to-weight ratio relative to other roofing systems and can tolerate moderate foot traffic.

## **System Design**



MATERIALS		SPECIFICATION
OSB3 Timber Decking		BBA® certified
PIR Insulation		BBA® certified
OSB3 Timber Decking		BBA® certified
FIBREGLASS	POLYESTER RESIN	1.5 – 1.7 kg/m2
LAMINATE	GLASS FIBRE MATTING	1 x 600 gram CSM
FLOWCOAT		0.5 kg/m2

<u>www.strandek.co.uk</u> **Telephone:** 01633 250652 **Email**: info@strandek.co.uk





# Fibreglass Flat Roof Installation



**1/4** BBA® certified OSB3 T&G timber decking installed on the roof. There is BBA® certified PIR insulation sandwiched in between two layers of the decking.



**2/4** GRP edge trims installed around the perimeter and edges of the timber decking.



**3/4** Glass fibre matting was applied to the timber decking and saturated in catalysed polyester resin.




**4/4** A grey resin topcoat (flowcoat) was then applied to the laminate to complete the installation.





## Fibreglass Flat Roof Installation



Upon completion the fibreglass roof was ready to accommodate a roof window and further building work. Its lifetime should exceed 30+ years, rain or shine!

See more about Built GRP Fibreglass:

https://builtgrp.com/fibreglass-roof-system/

## **Performance**

"We've been installing fibreglass roofs since 1976 and as of today we've installed well over 5,000! Using the Built GRP Fibreglass Roof System, this project is just another example of the standard of our workmanship and the quality of the materials we use.."

Steve Bowen
Managing Director
Strandek GRP Systems

### **About Strandek**

Established in 1976, Strandek specialise in a range of waterproofing solutions. Working with a range of customers, they offer exceptional performance and a high-quality of workmanship.

#### **Our Accreditations**











### Want to see more?

Search for 'Strandek GRP Systems' on







### **Contact us**

www.strandek.co.uk

**Telephone:** 01633 250652

Email: info@strandek.co.uk